62.15

# DEL-MAR-VA NURSERIES Lincoln, Delaware

# Wholesale Trade

# Finished Stock and Liners

## Spring, 1955

POSTMASTER: If addressee has moved and new address is known, noitfy sender on Form 3547, postage for which is guaranteed.

Return Postage Guaranteed

## LIBRARY U. S. Department of Agriculture \* JAN1 8 1955 RECET

Mashing of on 25, D. C.

Permit No. 2

Lincoln, Del.

PAID

Sec. 34.66, P. L. & R.

U. S. POSTAGE

|   |              | ,   |  |
|---|--------------|---|--|
| ABELIA grandiflor   | a            | Glossy Abelia                                       |  |
| 18-24"  | B&B          | @ 1.25  |  |
| 2-3'  | B&B          | @ 1.75<br>@ 4.00                                    |  |
| 5-6'  | B&B          | <b>@</b> 4.00                                       |  |
| ABELIA sherwoodi  | D            | warf Spreading Abelia                               |  |
| 2-3' Sprea  | d B&B        | @ 2.25  |  |
| 3-4' Sprea  | d B&B        | <b>@</b> 3.50                                       |  |
|   |              | Balsam Fir  |  |
| ABIES balsamea  | B&B          | @ 1.25  |  |
| 12-18"<br>18-24"  | B&B          | @ 1.50  |  |
|   |              | •   |  |
| ACER palmatum at  | ropurpureum  | Red Leaf Jap. Maple                                 |  |
| 15-18"  | B&B          | @ 2.50  |  |
| 18-24"  | B&B          | @ 3.00  |  |
| AZALEA amoena   |              | Purplish Pink                                       |  |
| 6-8"  | B&B          | @ .55   |  |
| 8-10"   | B&B          | @ .70   |  |
| 10-12"  | B&B          | <ul><li> 1.00</li><li> 0 1.25</li></ul>             |  |
| 12-15"  | B&B          | $egin{pmatrix} @ & 1.25 \ @ & 1.75 \end{matrix}$    |  |
| 15-18"  | B&B          |   |  |
| AZALEA flame (Ku  | irume)       | Flame Red   |  |
| 6-8"  | B&B          | @ .75   |  |
| 8-10"   | B&B          | @ 1.00  |  |
| 10-12"  | B&B          | @ 1.25<br>@ 1.60                                    |  |
| 12-15"  | B&B          | W 1.00  |  |
| AZALEA herbert (  | Gable)       | Dark Crimson Purple                                 |  |
| 6-8"  | B&B          | @ .55   |  |
| 8-10"   | B&B          | @ .70   |  |
| 10-12"  | B&B          | @ 1.00<br>· @ 1.25                                  |  |
| 12-15"<br>15-18"  | B&B<br>B&B   | @ 1.75  |  |
| 18-24"  | B&B          | @ 2.25  |  |
| A COLUMN TO A TAX TO |              | Red   |  |
| AZALEA hinodegir  |              |   |  |
| 6-8"<br>8 <b>-10</b> "  | B&B<br>B&B   | $egin{array}{ccc} @ & .75 \ @ & 1.00 \ \end{array}$ |  |
| 10-12"  | B&B          | @ 1.25  |  |
| 12-15"  | B&B          | @ 1.60  |  |
| AWATEA amond but  | 0.79         | Rose Pink   |  |
| AZALEA sweet bri  | ar<br>B&B    |   |  |
| 6-8"<br>8-10"   | B&B          | @ .75<br>@ 1.00                                     |  |
| 10-12"  | B&B          | @ 1.25  |  |
| 12-15"  | B&B          | <b>@</b> 1.60                                       |  |
| BETULA alba   |              | European White Birch                                |  |
| 5-6'  | B. R.        | @ 2.00  |  |
| 6-8'  | B. R.        | @ 2.75  |  |
|   |              |   |  |
| BUXUS sempervire  |              | Tree Boxwood  |  |
| 8-12"   | B. R.        | @ .35   |  |
| 2½-3'<br>3-4'   | B&B<br>B&B   | @ 3.50<br>@ 5.00                                    |  |
|   |              |   |  |
| BUXUS sempervirens Bush Boxwood   |              |   |  |
| 6-8"  | B. R.        | @ .35   |  |
| 8-10"<br>10-12"   | B. R.<br>B&B | @ .60<br>@ 1.25                                     |  |
| 12-15"  | B&B          | @ 1.50  |  |
| 15-18"  | B&B          | <b>@</b> 2.00                                       |  |
| 18-24"  | B&B          | <b>@</b> 2.50                                       |  |
| 2-21/2'   | B&B          | <b>@ 4</b> .00                                      |  |

Yellow-wood

@ 3.00

| DEI                                     | -MAR-VA        | NURSERIES            | 3            |
|---|----------------|----------------------|--------------|
| CERCIS canadensis American Redbud       |                |                      |              |
| 4-5'                                    | B. R.          | @                    | 1,25         |
| 5-6'                                    | B. R.          | @                    | 1.75         |
| 6-8'<br><b>8-10</b> '                   | B. R.<br>B. R. | @                    | 2.75<br>3.50 |
| 10-12'                                  | B. R.          | <b>@</b>             | 4.60         |
| 10-12                                   | 15. 16.        | •                    | 2.00         |
| CHAMAECY                                | PARIS-TH       | E RETINOSP           | ORAS         |
| CHAMAECYPARIS                           | pisifera       | Sawara               | Retinospora  |
| 15-18"                                  | B&B            | @                    | 1.00         |
| 18-24"                                  | B&B            | @                    | 1.50         |
| 2-21/2'                                 | B&B            | @                    |              |
| 2½-3'<br>3-3½'                          | B&B<br>B&B     | <i>w</i><br><i>@</i> | 2.50<br>3.00 |
| 3½-4'                                   | B&B            |                      | 3.50         |
| 4-5'                                    | B&B            | <u>@</u>             | 4.00         |
| CHAMAECYPARIS                           | pisifera au    | rea Go               | olden Sawara |
| 15-18"                                  | B&B            | @                    | 1.00         |
| 18-24"                                  | B&B            | @                    | 1.50         |
| 2-21/2'                                 | B&B            |                      | 2.00         |
| 21/2-3'                                 | B&B            |                      | 2.50         |
| 3-3½'<br>3½-4'                          | B&B<br>B&B     |                      | 3.00         |
| 3 <del>7</del> 2 <del>- 4</del><br>4-5' | B&B            | @<br>@               | 3.50<br>4.00 |
| CHAMAECYPARIS                           |                | _                    |              |
| 12-15"                                  | B&B            | <i>@</i>             |              |
| 15-18"                                  | B&B            | <u>a</u>             | 1.50         |
| 2½-3'                                   | B&B            | $oldsymbol{ec{Q}}$   | 3.00         |
| 3-31/2'                                 | B&B            | @                    | 3.50         |
| 3½-4′                                   | B&B            | <b>@</b>             | 4.50         |
| CHAMAECYPARIS                           |                |                      | Retinospora  |
| 15-18"                                  | B&B            | @                    | 1.00         |
| 18-24"<br>2-2½'                         | B&B<br>B&B     | ~                    | 1.50<br>2.00 |
| 2½-3'                                   | B&B            |                      | 2.50         |
| 3-31/2'                                 | B&B            |                      | 3.00         |
| 31/2-4'                                 | B&B            | $\check{a}$          | 3.50         |
| 4-5'                                    | B&B            | @                    | 4.00         |
| CHAMAECYPARIS                           | -              |                      |              |
| 15-18"                                  | B&B            | @                    | 1.00         |
| 18-24"                                  | B&B<br>B&B     | @                    | 1.50         |
| 2-2½'<br>2½-3'                          | B&B            | @<br>@               | 2.00<br>2.50 |
| 3-31/2'                                 | B&B            | @                    | 3.00         |
| 31/2-4'                                 | B&B            | $\tilde{a}$          | 3.50         |
| CHAMAECYPARIS                           | plumosa Li     | utescens             |              |
|   |                | Sulphur tinted       |              |
| 10-12"                                  | B&B            | @                    | 1.00         |
| 12-15"                                  | B&B            | @                    | 1.25         |
| 15-18"<br>18-24"                        | B&B<br>B&B     | @<br>@               | 1.50<br>1.75 |
| 2-21/2'                                 | B&B            | <b>a</b>             | 2.25         |
| 2½-3'                                   | B&B            | <b>@</b>             | 3.00         |
| CHAMAECYPARIS                           | squarossa 1    | veitchii Moss        | Retinospora  |
| 15-18"                                  | B&B            | @                    | 1.00         |
| 18-24"                                  | B&B            | @                    | 1.50         |
| 2-21/2'                                 | B&B            | @                    | 2.00         |

CLADRASTRIS lutea

B. R.

5-6'

|                                  | TAMERE AND LANGE   | 7 8m 8 4 1 0m 7c/         |
|----------------------------------|--------------------|---------------------------|
| CORNUS florida                   | White              | Flowering Dogwood         |
| A = ;                            |                    | *                         |
| 4-5'                             | B. R.              | @ 2.50                    |
| 5-6'                             | B&B                | @ 5.00                    |
| 6-8'                             | B&B                | @ 7.50                    |
| 8-10'                            | B&B                | @ 17.50                   |
| 10-12'                           | B&B                | ~                         |
|                                  |                    | @ 25.00                   |
| 12-14'                           | B&B                | @ 37.50                   |
| 14-16'                           | B&B                | @ 50.00                   |
| CYDONIA japonica                 | ,                  | Red Flg. Quince           |
| 2-3'                             | B. R.              | @ 1.00                    |
| 3-4'                             | B. R.              | $\overset{\circ}{@}$ 1.25 |
| ELEAGNUS fruitla                 | .ndi               |                           |
| 15-18"                           | B&B                | <b>@</b> 1.50             |
| 18-24"                           | B&B                | (0.00)                    |
| FORSYTHIA inter                  | media              | Border Forsythia          |
|                                  |                    |                           |
| 3-4 <u>'</u><br>4-5'             | B. R.<br>B. R.     | @ .75<br>@ 1.00           |
| CIEDINGIA deises                 |                    |                           |
| GLEDITSIA triaca<br>10-12' 1½-2' |                    | Locust  @ 6.00            |
| ~                                |                    | •                         |
| GYMNOCLADUS di                   |                    | Kentucky Coffee           |
| 5-6'                             | B. R.              | @ 3.00                    |
| 6-8'                             | B. R.              | @ 3.75                    |
| ILEX aquifolium                  |                    | English Holly             |
| 12-18"                           | B&B                | @ 3.00                    |
| 18-24"                           |                    |                           |
| 18-24                            | B&B                | <b>@</b> 4.00             |
| ILEX crenata                     |                    | Japanese Holly            |
| 12-18"                           | B&B                | @ 2.00                    |
| 18-24"                           | B&B                | @ 3.25                    |
| 2-21/2'                          | B&B                | @ 4.25                    |
| HEV anamata Can                  |                    | Dulloto Hollm             |
| ILEX crenata Con                 |                    | Bullata Holly             |
| 10-12"                           | B&B Spread         | @ 1.25                    |
| 12-15"                           | B&B Spread         | $\bar{@}$ 1.65            |
| 15-18"                           | B&B Spread         | @ 2.00                    |
| 18-24"                           | *                  |                           |
|                                  | B&B Spread         | @ 3.00                    |
| 2-21/2                           | B&B Spread         | @ 4.00                    |
| ILEX crenata rotu                |                    | Round Leaf Holly          |
| 12-15"                           | B&B                | @ 1.75                    |
| 15-18"                           | B&B                | @ 2.25                    |
| ILEX glabra                      |                    | Inkberry Holly            |
| 2-21/2'                          | B&B                | @ 3.50                    |
| 2½-3'                            | B&B                | @ 4.50                    |
| ILEX opaca femina                |                    | American Holly            |
|                                  |                    |                           |
| 2-21/2'                          | B&B                | @ 4.00                    |
| 21/2-3'                          | B&B                | @ 4.50                    |
| ILEX opaca Arden                 |                    | Arden Holly               |
| 2-21/2'                          | B&B                | @ 4.00                    |
| 2½-3'                            | B&B                | @ 4.50                    |
| JASMINE nudifloru                | m                  | Winter Jasmine            |
| 2-3'                             | .ш<br>В. <b>R.</b> | © 1.25                    |
|                                  |                    | <b>3</b>                  |
| JUNIPERUS chines                 | nsis armstrong     | Dwarf Pfitzer             |
| 12-15"                           | B&B                | @ 2.00                    |
|                                  |                    |                           |

| DEL  | -MAK-VA               | NORSERIES      | <u>ə</u>             |
|--|-----------------------|----------------|----------------------|
| JUNIPERUS hibern                               | nica.                 |                | Irish Juniper        |
| 15-18"   | B&B                   | @              | •                    |
| 18-24"   | B&B                   | <u>@</u>       |                      |
|  |                       |                |                      |
| JUNIPERUS pfitze                               | rian <b>a</b>         |                | itzer Juniper        |
| 15-18"   | B&B                   |                | 2.00                 |
| 18-24"   | B&B                   | @              | 2.50                 |
| THAIDDDING Late:                               |                       |                | Blue Juniper         |
| JUNIPERUS hetzii                               |                       |                |                      |
| 2½-3'<br>3-3½'                                 | B&B<br>B&B            | <b>@</b>       | 6.00                 |
| Q 0 72   |                       |                |                      |
| JUNIPERUS sabina                               | ι                     |                | Savin Juniper        |
| 15-18"   | B&B                   |                | 1.75                 |
| 18-24"   | B&B                   |                | 2.25                 |
| 2-21/2'  | B&B                   | W              | 2.75                 |
| LAGERSTROEMIA                                  |                       | Pink           | Crepe Myrtle         |
| 12-18"   | B. R.                 | @              | .50                  |
| 18-24"   | B. R.                 | <u>@</u>       | .75                  |
|  |                       |                |                      |
| LIGUSTRUM lucidu                               |                       |                | x Leaf Privet        |
| 18-24"<br>2-2½'                                | B&B<br>B&B            | <b>@</b><br>@  |                      |
| $\frac{2-4\frac{7}{2}}{2\frac{1}{2}-3}$        | B&B                   | @<br>@         |                      |
| - 72 0   |                       |                |                      |
| LIGUSTRUM lucid                                | um spread             |                | g. Wax Leaf          |
| 12-18"   | B&B                   | _              | 2.00                 |
| 18-24"   | B&B                   | @              | 2.50                 |
| LIGUSTRUM ovali                                | folium                | Cal            | fornia Privet        |
| 12-18"   | B. R.                 | @              |                      |
| 18-24"   | B. R.                 | @              |                      |
| 2-3'   | B. R.                 | @              | .20                  |
| T TENTA TO TO TO TO TO TO THE                  | . 1: 6                |                | multi- muse          |
| LIRIODENDRON to 2½-3" Cal.                     | _                     |                | Tulip Tree 5.00      |
| $\frac{2\frac{1}{2}-5}{3-3\frac{1}{2}}$ " Cal. | B. R.                 | @<br>@         | 6.00                 |
| 3½-4" Cal.                                     | B. R.                 | <u>@</u>       | 7.50                 |
| LIQUIDAMBAR sty                                | .ma aidua             |                | C-root Com           |
| 5-6'   | B. R.                 | <b>a</b>       | Sweet Gum            |
| 6-8'   | B. R.                 | @<br>@         |                      |
|  |                       |                |                      |
| LONICERA fragran                               | ntissima              |                | Honeysuckle          |
| 2-3'   | B. R.                 | @              | .75                  |
| 3-4'<br>4-5'                                   | B. R.<br>B. R.        | @<br><b>@</b>  | 1.00<br>1.50         |
|  |                       | · ·            |                      |
| LONICERA tatarica                              |                       | White Tatarica | •                    |
| 3-4'<br>4-5'                                   | B. R.<br>B. R.        | @              | 1.50                 |
| <del>1</del> -0                                | B. R.                 | @              | 3.00                 |
| LONICERA tatarica                              | Rosea                 | Pink Tatarica  | Honeysuckle          |
| 3-4'   | B. R.                 | @              | 1.50                 |
| LONICERA tatarica                              | nubro                 | Red Tatarica   | TION orranglelo      |
| 3-4'   | B. R.                 | -01            | 1.00                 |
| 4-5'   | B. R.                 | @<br>@         | 1.50                 |
|  |                       | •              |                      |
| MAGNOLIA glauca                                |                       |                | Sweet Bay            |
| 12-18"<br>18-24"                               | B&B<br><b>B&amp;B</b> | @<br><b>@</b>  | 1.75<br>2.2 <b>5</b> |
| 10-23  | Dan                   | W              | 2.20                 |

| 0                     | DEL-MAK-VA I                                    | AUKSEKIES                    |                   |
|-----------------------|---|------------------------------|-------------------|
| MAGNOLIA li<br>18-24" | liflora (nigra)<br>B&B                          | <i>@</i> 2                   | Purpurea          |
| 2-3'<br>3-4'          | B&B<br>B&B                                      | @ 2                          |                   |
| MAGNOLIA m<br>18-24"  | acrophylla<br>B&B                               | Large lea                    | f Magnolia<br>.00 |
| MAGNOLIA st<br>12-18" | ellata<br>B&B                                   | Star<br><i>@</i> 2           | Magnolia<br>.50   |
| MELIA azedar          | ach   | Texas Umb                    | rella Tree        |
| 2-21/2"               | Caliper B. R.<br>Caliper B. R.<br>Caliper B. R. | @ 2<br>@ 3<br>@ 3            |                   |
| NYSSA sylvati         | ica   | 1                            | Black Gum         |
| 3-4'<br>'4-5'         | B. R.<br>B. R.                                  | @ 2.<br>@ 2.                 |                   |
| OXYDENDRON            |   |                              | Sourwood          |
| 2-3'<br>3-4'          | B. R.<br>B. R.                                  | @ 1.<br>@ 2.                 | 50<br>00          |
| 4-5'                  | B. R.   |                              | 00                |
|                       | US coronarius                                   | Sweet Mo                     |                   |
| 3-4'<br>4-5'          | B. R.<br>B. R.                                  |                              | 75<br>00          |
| 5-6'                  | B. R.   | Ö 1.                         |                   |
| PHILADELPH            | US virginalis                                   | Virginal Mo                  | ck Orange         |
| 2-3'<br><b>3-4'</b>   | B. R.<br>B. R.                                  |                              | 50 - <b>75</b>    |
| PINUS nigra           |   |                              | trian Pine        |
| 18-24"<br>2-2½"       | B&B<br>B&B                                      | @ 1.<br>@ 1.                 | 25<br>75          |
| PINUS resinos         |   |                              | Red Pine          |
| 2-21/2°<br>21/2-3°    | <b>B&amp;B</b><br>B&B                           | <b>@</b> 1.<br><b>@</b> · 2. |                   |
| PLATANUS oc           |   | American                     | Sycamore          |
| 10-12'<br>11-13'      | 1½-1¾" Cal.<br>1¾-2" Cal.<br>2½-3" Cal.         | @ 3.'<br>@ 5.'               |                   |
| 13-15'                | 2½-3" Cal.<br>3-3½" Cal.                        | @ 10.                        | 00                |
| 13-15'<br>15-16'      | 3-3½" Cal.<br>3½-4" Cal.                        | <b>@ 12.</b> ! <b>@</b> 15.  |                   |
| PRUNUS hanse          | en bush cherry                                  |                              |                   |
| 2-3'                  | B. R.   | @ .'                         | 75                |
| QUERCUS Rub<br>6-8'   | ra<br>B. <b>R.</b>                              | Southern @ 3.                | Red Oak           |
| SALIX babylon         | ica   | Green Wp                     |                   |
| 6-8'<br>8-10'         | B. R.<br>B. R.                                  | @ 1.8<br>@ 2.9               | 50                |
| SALIX vitellina       |   | Golden Wp                    |                   |
| 6-8'<br>8-10          | B. R.<br>B. R.                                  | Ø 1.8<br>Ø 2.2               |                   |
| SORBUS aucup          |   | European Mou                 |                   |
| 4-5'<br><b>5</b> -6'  | B. R.<br>B. R.                                  | @ 1.8<br><b>@</b> 2.8        |                   |

| SPIREA thunbergi   | ii                 | Thunberg Spirea                                  |
|--------------------|--------------------|--|
| 3-4'<br>4-5'       | B. R.<br>B. R.     | @ 1.00<br>@ 1.25                                 |
| SPIREA van hout    | te                 | Van Houtte Spirea                                |
| 2-3'               | B. R.              | @ .50  |
| 3-4'               | B. R.              | @ .75  |
| 4-5'               | B. R.              | @ 1.00   |
| TILIA americana    | ,                  | American Linden                                  |
| 5-6'<br>6-8'       | B. R.<br>B. R.     | @ 2.00   |
| 0-8                | D. R.              | @ 2.50   |
| 7                  | TAXUS THE YEW      | 's   |
| TAXUS bacata au    | rea G              | olden English Yew                                |
| 12-15"             | B&B                | @ 2.25   |
| 15-18"<br>18-24"   | B&B<br>B&B         | @ 2.75<br>@ 3.50                                 |
|                    | 202                | <b>W</b> 3.50                                    |
| TAXUS cuspidata    | 70.7               | Spdg. Jap. Yew                                   |
| 12-15"<br>15-18"   | B&B<br>B&B         | @ 2.00<br>@ 2.75                                 |
|                    | 2015               | W 2.10   |
| TAXUS cuspidata (  | Capitata (Limited) | Upright Jap. Yew                                 |
| 18-24"<br>2-2½'    | B&B<br>B&B         | @ 3.50<br>@ 4.25                                 |
| 2½-3'              | B&B                | @ 5.00   |
| 3-31/2'            | B&B                | <b>@</b> 7.50                                    |
| 31/2-4'            | B&B                | <b>@</b> 10.00                                   |
| TAXUS media Bro    | wnii               | Browni Yew                                       |
| 12-15''<br>15-18'' | B&B                | @ 2.00   |
|                    | B&B                | @ 2.75   |
| TAXUS media Hic    |                    | Hicks Yew  |
| 12-15"<br>15-18"   | B&B<br>B&B         | @ 1.25<br>@ 1.75                                 |
| 18-24"             | B&B                | @ 2.50   |
| 2-2½'<br>2½-3'     | B&B                | @ 3.25   |
|                    | B&B                | @ 4.00   |
| TAXUS media Vern   |                    | Vermeuleun Yew                                   |
|                    | B&B<br>B&B         | $egin{pmatrix} @ & 1.25 \ @ & 1.75 \end{matrix}$ |
| 18-24"             | B&B                | @ 2.50   |
| 2-21/2'            | B&B                | <b>@</b> 6.00                                    |
| THUJ               | A—THE ARBORVI      | TAES   |
| THUJA Occidentali  | s Elegentissma     | Gold Tipped                                      |
| 18-24"             | B&B                | @ 1.25   |
| 2-2½'<br>2½-3'     | B&B                | @ 1.50   |
|                    | B&B                | <b>@</b> 2.25                                    |
| THUJA occ. elwang  |                    |  |
| 12-15"<br>15-18"   | B&B<br>B&B         | @ 1.00<br>@ 1.50                                 |
| THUJA occ. Globos  | 100                |  |
| 10-12"             | B&B                | Woodwards Globe @ 1.00                           |
| 12-15"             | B&B                | @ 1.25   |
| 15-18"             | B&B                | @ 1.50   |

| 8                               | DEL-MAR-VA            | NURSERIES  |
|---------------------------------|-----------------------|--|
| THUJA Occ.                      | nigra                 | Dark American Aborvitae                              |
| 3-31/2'                         | B&B                   | @ 2.75   |
| 3½-4°<br>4-4½°                  | B&B<br>B&B            | $egin{array}{ccc} @ & 3.00 \ @ & 3.50 \ \end{array}$ |
| - 72                            |                       | <u> </u>   |
| THUJA occ.                      |                       | Pyramidal arborvitae                                 |
| 15-18"<br>18-24"                | B&B<br>B&B            | <ul><li><i>@</i> .90</li><li><i>@</i> 1.10</li></ul> |
| 2-21/2'                         | B&B                   | <b>@</b> 1.50  |
| 2½-3'<br>3-3½'                  | B&B<br>B&B            | @ 2.25<br>@ 2.75                                     |
| 31/2-4'                         | B&B                   | @ 3.00   |
| 4-41/2'                         | B&B                   | @ 3.50   |
| THUJA Occ.                      | wareana               | Siberian Arborvitae                                  |
| 15-18"                          | B&B                   | @ 1.50   |
| THUJA ories                     | ntalis                | Chinese Arborvitae                                   |
| 2-21/2'                         | B&B                   | @ 1.25   |
| 2½-3'<br>3-3½'                  | B&B<br><b>B&amp;B</b> | @ 1.50<br>@ 2.00                                     |
| 31/2-4'                         | B&B                   | <b>@</b> 2.50  |
| THUJA ories                     | ntalis elegentissma   | Gold spire Arborvitae                                |
| 18-24"                          | В&В                   | @ 1.25   |
| 2-21/2'<br>21/ <sub>2</sub> -3' | B&B<br>B&B            | @ 1.50<br>@ 1.75                                     |
| 3-31/2'                         | B&B                   | $0 - 1.75 \\ 0 - 2.25$                               |
| 31/2-4'                         | B&B                   | <b>@</b> 2.75  |
| TSUGA cana                      | densis                | Canadian Hemlock                                     |
| 12-18"                          | B&B                   | <i>@</i> 1.50  |
| 18-24"<br>2-214'                | B&B<br>B&B            | $egin{pmatrix} @ & 2.00 \ @ & 2.75 \end{matrix}$     |
| 21/2-3'                         |                       | @ 4.00   |
| 3-31/2'                         | B&B                   | @ 4.75   |
| ULMUS pun                       | nila                  | · Siberian Elm                                       |
| 5-6'                            | B&B                   | @ 1.25   |
| VIBURNUM                        | burkwoodi             | Burkwood Viburnum                                    |
| 15-18"                          | B&B                   | <b>@</b> 2.00  |
| 18-24"                          | . В&В                 | @ 2.75   |
| VIBURNUM                        | chenaulti             | Chenault Viburnum                                    |
| 15-18"                          | B&B                   | @ 2.00   |
| 18-24"                          | B&B                   | · @ 2.75   |
|                                 | rhytidophyllum        | Leatherleaf Virburnum                                |
| 12-18"<br>18-24"                |                       | @ 2.00<br>@ 2.50                                     |
|                                 | 25(02)                | , , , , , , , , , , , , , , , , , , ,                |
| VIBURNUM 3-4'                   | tomentosum B. R.      | Doublefile Viburnum<br>@ 1.00                        |
| 4-5'                            | B. R.                 | <pre></pre>  |
| VITEX mac                       | ronhyllo              | Lilac Chaste Tree                                    |
| 2-3'                            | B. R.                 | mac Chaste Tree                                      |
| 3-4'                            | B. R.                 | <b>@</b> 1.00  |
| WEIGELIA                        | candida               | White Weigelia                                       |
| 3-4'                            | B. R.                 | @ 1.00   |
| 4-5'                            | B. R.                 | <b>@</b> 1.50  |
| WEIGELIA                        | florabunda            | Crimson Weigelia                                     |
| 2-3'                            | B. R.                 | @ .75  |
| 3-4'                            | B. R.                 | <b>@ 1.00</b>  |

| WEIGELIA hender | rsoni     | Dark Pink Weigelia    |
|-----------------|-----------|-----------------------|
| 4-5'            | B. R.     | <b>@</b> 1.00         |
| 5-6'            | B. R.     | @ 1.50                |
| WEIGELIA rosea  |           | Pink Weigelia         |
| 3-4'            | B. R.     | <b>@</b> 1.00         |
| . 4-5'          | B. R.     | @ 1.50                |
| WEIGELIA rosea  | variegata | Dwarf variegated leaf |
| 2-2½'<br>2½-3'  | B. R.     | <b>@</b> 1.00         |
| 2½-3'<br>3-4'   | B. R.     | @ 1.50                |
| <b>3−4</b> ′    | B. R.     | <b>@ 2.</b> 00        |

## LINING OUT STOCK

We feel that the best is none too good. The stock that we have to offer is just such material as we would expect if we were buying it. Our growing season has been almost perfect and these liners have been grown with the aid of irrigation which we feel makes a hardier plant.

EXPLANATION OF GRADES: We are listing our liners in grades by the number of years they have been growing under the lath screens; for example, 1 yr. means 1 year in outside beds. 2 yr. would be 2 years outside, etc. The figures in front are approximately what we have to offer.

## Order in Multiples of 25

| •     |                              |              |
|-------|------------------------------|--------------|
| 300   | Azalea Amoena                | 1 yr. @ 15c  |
| 580   | Azalea Claret (Gable)        | 1 yr. @ 15c  |
|       | Azalea Ethelwyn (Gable)      | 1 yr. @ 15c  |
| 1320  | Azalea Flame                 | 1 yr. @ 15c  |
| 500   | Azalea Gaiety G. D.          | 1 yr. @ 15c  |
|       | Azelea Greeting G. D.        | 1 yr. @ 15e  |
|       | Azelea Herbert Gable         | 1 yr. @ 15c  |
| 19400 | Azalea Hinodegiri            | 1 yr. @ 15c  |
| 840   | Azalea Hinomayo              | 1 yr. @ 15c  |
| 680   | Azalea Salmon Beauty         | 1 yr. @ 15c  |
| 180   | Azalea Yodogawa              | 1 yr. @ 15c  |
| 198   | 0 Abelia Grandiflora         | 1 yr. @ 17½0 |
| 52    | 0 Abelia Sherwoodi           | 1 yr. @ 17½c |
| 960   | Barberry Chenaulti           | 1 yr. @ 25c  |
|       | Barberry Juliana             | 1 yr. @ 22½  |
| 800   | Buxus Arborescens            | 2 yr. @ 20c  |
|       | Buxus Sempervirens           | 1 yr. @ 15c  |
| 50    | Chamaescyparis Cyno Viridis  | 2 yr. @ 25c  |
| 600   | Chamaecyparis Filifera       | 2 yr. @ 25c  |
| 500   | Chamaecyparis Obtusa         | 2 yr. @ 20c  |
| 482   | Chamaecyparis Obtusa Crippsi | 2 yr. @ 30c  |
| 300   | Chamaecyparis Obtusa Nana    | 2 yr. @ 30c  |
| 1229  | Chamaecyparis Pisifera       | 2 yr. @ 20c  |
| 550   | Chamaecyparis Pisifera Aurea | 2 yr. @ 20c  |
| 2310  | Chamaecyparis Plumosa        | 2 yr. @ 20c  |
| 1000  | Chamaecyparis Plumosa Aurea  | 2 yr. @ 20c  |
| 300   | Eleagnus Fruitlandi          | 1 yr. @ 15c  |
|       | Euonymous Elatus             | 1 yr. @ 15c  |
|       | Ilex Aquifolium              | 1 yr. @ 50c  |
| 320   | Ilex Aquifolium Pyramidalis  | 1 yr. @ 50c  |
|       | Ilex Cornuta Femina          | 1 yr. @ 50c  |
|       | Ilex Cornuta Femina          | 2 yr. @ 65c  |
|       | Ilex Cornuta Burfordi        | 1 yr. @ 50c  |
|       | Ilex Cornuta Burfordi        | 2 yr. @ 65c  |
|       | Ilex Crenata                 | 1 yr. @ 15c  |
|       | Ilex Crenata                 | 2 yr. @ 20c  |
| 2926  | Ilex Crenata Convexa         | 1 vr. @ 15c  |

| 10          | DEL-MAR-YA HOROEKIEG                              |                            |
|-------------|---|----------------------------|
| 1000        | The Granata Convoyo                               | 2 yr. @ 20c                |
| 1992        | Ilex Crenata Convexa                              | 1 yr. @ 20c                |
| 975         | Ilex Crenata Helleri<br>Ilex Crenata Rotundifolia | 1 yr. @ 15c                |
| 8000        | Ilex Glabra Femina                                | 1 yr. @ 15c                |
| 1000        | Ilex Opaca Femina                                 | 1 yr. @ 40c                |
|             | Ilex Opaca Arden                                  | 1 yr. @ 40c                |
|             | Juniper Armstrong                                 | 1 yr. @ 25c                |
| 1500        | Juniper Armstrong                                 | 2 yr. @ 35c                |
|             | Juniper Hetzii                                    | 1 yr. @ 25c                |
|             | Juniper Hetzii                                    | 2 yr. @ 30c                |
|             | Juniper Kosters                                   | 2 yr. @ 30c                |
| 252         | Juniper Kosters                                   | 3 yr. @ 35c                |
|             | Juniper Pfitzer                                   | 2 yr. @ 25c                |
|             | Juniper Pfitzer                                   | 3 yr. @ 35c                |
|             | Juniper Savin                                     | 2 yr. @ 30c                |
| 1280        | Ligustrum Lucidum Spreading                       | 1 yr. @ 30c                |
| 3670        | Ligustrum Lucidum Upright                         | 1 yr. @ 30c                |
| 500         | Ligustrum Lucidum Upright                         | 2 yr. @ 35c                |
| 2330        | Osmanthus Aquifolium                              | 1 yr. @ 20c                |
| 600         | Picea Pungens Glauca 5 yr                         | tsps. @ 40c                |
| 420         | Pyracanthea Lalandi                               | 1 yr. @ 30c                |
| 200         | Prunus Lauracerasus Schipkaensis                  | 1 yr. @ 40c                |
| 175         | Taxus Bacata Aurea                                | 2 yr. @ 25c                |
| 4860        | Taxus Brownii                                     | 1 yr. @ 15c                |
|             | Taxus Brownii                                     | 2 yr. @ 20c                |
| 7600        | Taxus Cuspidata                                   | 1 yr. @ 15c                |
| 7498        | Taxus Cuspidata                                   | 2 yr. @ 20c                |
| 1720        | Taxus Cuspidata Nana                              | 1 yr. @ 20c                |
|             | Taxus Cuspidata Nana                              | 2 yr. @ 25c                |
| 1940        | Taxus Hatfield                                    | 1 yr. @ 20c                |
| 2117        | Taxus Hatfield                                    | 2 yr. @ 25c                |
| <b>5</b> 00 | Taxus Hatfield                                    | 3 yr. @ 30c                |
| 1760        | Taxus Hicksii                                     | 1 yr. @ 15c                |
| 6698        | Taxus Hicksii                                     | 2 yr. @ 20c<br>1 yr. @ 15c |
|             | Taxus Vermeulen                                   |                            |
| 6000        | Taxus-Vermeulen                                   |                            |
| 100         | Thuya Occidentalis Elegentissima                  |                            |
| 2530        | Thuya Occidentalis Globossa                       | 1 yr. @ 15c<br>2 yr. @ 20c |
| 3459        | Thuya Occidentalis Globossa                       | 2 yr. @ 25c                |
| 650         | Thuya Occidentalis Nigra                          | 2 yr. @ 20c                |
| 3802        | Thuya Occidentalis Pyramidalis                    | 1 yr. @ 22½c               |
|             | Tsuga Canadensis                                  | 2 yr. @ 30c                |
|             | Tsuga Canadensis                                  | 2 yr. @ 25c                |
|             | ) Virburnus Burkwoodi<br>) Viburnum Chenaulti     | 2 yr. @ 25c                |
|             | Viburnum Chenautti<br>Viburnum Rhytidophyllum     | 1 yr. @ 25c                |
| 300         | viburnum tenymaopnymum                            | 1 91. @ 200                |

## TERMS AND CONDITIONS OF SALE

This list cancels all previous quotations. All agreements and contracts are made subject to crop losses through unavoidable causes.

THE PRICES in this list are based upon present market conditions and are subject to change without notice. These are wholesale prices and apply only to wholesale quantities; in no case will we fill retail orders even from nurserymen. All orders should be made up of 10's or multiples of 10.

TERMS. 30 days net, 2% discount 10 days, from date of shipment. Interest at 6% per annum to be paid after maturity. These terms are offered to those of established credit. Cash, security, or satisfactory references are required from unknown parties. All shipments are F. O. B. Lincoln, Delaware, unless otherwise agreed.

SHIPPING. Customers are requested to give definite instructions for shipping. In the absence of special instructions we will use our own judgement, but with the distinct understanding that it is without responsibility on our part. All shipments travel at the risk and cost of the purchaser.

BOXES AND BALES will be charged at actual cost.

CIAIMS for any cause must be made promptly on receipt of goods. Any stock that is not exactly as represented must be reported promptly and on authority should be returned to us immediately. We will cheerfully and without question credit back the unsatisfactory plants, or send others; but we will not entertain claims made after goods have been once accepted, or when report is not made within ten days after arrival of the stock.

LIMITED LIABILITY AND NON-WARRANTY. We express or imply no warranty as to productiveness or life of the stock we sell. It is mutually agreed that our liability for untrueness to name is confined to free replacement or refund of purchase price.

INSPECTION. Certificate of inspection will be furnished with every shipment.

SPECIAL NOTICE. Correspondents are requested to use their printed business letterheads. We do not quote price to retail buyers. We use every effort to limit the distribution of trade prices to those whom we know to be entitled to receive them.

**LOCATION.** We are located on U.S. Route 113, 4½ miles south of Milford, Delaware. We would be pleased to have you call and look over our nursery which covers about 150 acres.

TELEPHONES. Milford 4445 or 4698.

